

Snro FI	Tuote	Tekninen nimi	Lopetus pvm	100% korvaava tuote	SNRO	Osittain vastaava tuote	SNRO	Syy miksi ei 100% korvaava
Ali								
4160353	ALH13211	ALH13211 TC-S 11W 2-OS PR HA	Exit 1.7.2016	Ei korvaavaa		AL13211LED	4118008	Valkoinen
4160355	ALH13218	ALH13218 T8 18W 2-OS PR HA	Exit 31.12.2016			AL13218LED	4118010	Valkoinen
4160262	AL13418	AL13418 T8 18W 2X2-OS PR	Exit 31.12.2016	AL13418LED	4118012			
4160263	AL13436	AL13436 T8 36W 2X2-OS PR	Exit 31.12.2016			AL13428	4103128	Pieni pituusmuutos
Alisa								
4160270	AL14011	AL14011 IP44 TC-S 11W	Exit 31.12.2016			AL14018LED	4118013	Eri pituus
4160271	AL14015	AL14015 IP44 T8 15W	Exit 31.12.2016			AL14018LED	4118013	Eri pituus
4160273	AL14036	AL14036 IP44 T8 36W	Exit 31.12.2016			AL14028	4160285	Pieni pituusmuutos
4160255	AL14111	AL14111 IP44 TC-S 11W KYTKIN	Exit 31.12.2016			AL14118LED	4118014	Eri pituus
4160256	AL14115	AL14115 IP44 T8 15W KYTKIN	Exit 31.12.2016			AL14118LED	4118014	Eri pituus
4160258	AL14136	AL14136 IP44 T8 36W KYTKIN	Exit 1.7.2016	AL14128	4160209			
4160265	AL14211	AL14211 IP44 TC-S 11W 2-OS PR	Exit 31.12.2016			AL14218LED	4118015	Eri pituus
AVR254								
4117232	AVR254.29ECO	AVR254 IP54 2xTC-E 9W ECO AC O	Exit 31.12.2016	AVR254.18L	4217370	AVR254.18L/3K	4217374	
4117233	AVR254.29ECOMP	6 kpl val. AVR254.29ECO	Exit 31.12.2016	Ei korvaavaa				
4117667	AVL42/AL	AVL42/AL Peiterengas AVR254	Exit 31.12.2016			AVL42	4117599	Valkoinen
4117680	AVL57/AL	AVL57/AL koristerengas	Exit 31.12.2016			AVL57	4117679	Valkoinen
4160683	AL25029EL	AL25029EL IP54 TC-SE 2X9W	Exit 1.7.2016	AL250LED	4103190			
4160696	AL2502D16EL	AL2502D16EL IP54 2D16W GR10Q	Exit 1.7.2016	AL250LED	4103190			
4160697	AL25018XFCY	AL25018XFCY FACI 18W/840	Exit 1.7.2016	AL250LED	4103190			
4160457	ALR25018XFCY	ALR25018XFCY FACI 18W/840 RAD	Exit 1.7.2016	ALR250LED	4103281			
4160701	AL250K-M	AL250K-M KEHYS MU	Exit 31.12.2016			AL250K-V	4160700	Valkoinen
4160704	AL250KL-M	AL250KL-M KEHYS MU	Exit 31.12.2016			AL250KL-V	4160703	Valkoinen
4160705	AL250KL-H	AL250KL-H KEHYS HA	Exit 31.12.2016			AL250KL-V	4160703	Valkoinen
4603178	LS125P/1	LS125P/1 LUMIKATOS VA	Exit 31.12.2016	Ei korvaavaa		Ei korvaavaa		
AVR320								
4217930	AVR320218E3SM	AVR320/3SMIP442xTC-DE18W EPCO	Exit 31.12.2016			AVR320.114L/1M	4260295	1 tunnin akku
4217890	AVR320.213D	AVR320.213D IP44 2xTC-DE13W D	Exit 31.8.2016	AVR320.110DL	4260190	AVR320.110DL/3K	4260211	
4117829	AVR320.218D	2x18W TC-DE/G24q-2 230-240V 50	Exit 31.12.2016	AVR320.114DL	4228900	AVR320.114DL/3K	4228910	
4117834	AVR320.218DR	2x18W TC-DE/G24q-2 230V 50Hz	Exit 31.12.2016	AVR320.114DLR	4228901	AVR320.114DLR/3K	4228911	
4117815	AVR320.0224CE	1x22W T5C/2GX13 230/240V 50/60	Exit 31.12.2016	AVR320.1144L	4260253	AVR320.1144L/3K	4228908	
4217008	AVR320.2139E	AVR320 IP44 2xTC-DE13W E PC O	Exit 31.12.2016	AVR320.1109L	4260181	AVR320.1109L/3K	4260209	
4117475	AVR320.2184ER	2x18W TC-DE/G24q-2 230V	Exit 31.12.2016	Ei korvaavaa				
4217892	AVR320.2136D	AVR320.2136D IP44 2xTC-DE13W D	Exit 31.8.2016	AVR320.1106DL	4260196	AVR320.1106DL/3K	4260241	
4217891	AVR320.2135D	AVR320.2135D IP44 2xTC-DE13W D	Exit 31.8.2016	AVR320.1105DL	4260193	AVR320.1105DL/3K	4260234	
4217007	AVR320.2139D	AVR320 IP44 2xTC-DE13W D PC O	Exit 31.8.2016	AVR320.1109DL	4260199	AVR320.1109DL/3K	4260243	
4117682	AVL58/AL	AVL58/AL koristerengas	Exit 31.12.2016			AVL58	4117681	Valkoinen

Snro FI	Tuote	Tekninen nimi	Lopetus pvm	100% korvaava tuote	SNRO	Osittain vastaava tuote	SNRO	Syy miksi ei 100% korvaava
Aluno								
4160770	AL375175	AL375175 IP54 75W E27	Exit 31.12.2016	AL375LED	4103130			
4103103	AL375TCL218ELD	AL375TCL218ELD IP54 TC-L 2X18W	Exit 31.12.2016			Erikoismalli		
4103005	ALR375275XFCY	ALR375275XFCY FACI 2x18W/840 R	Exit 31.12.2016	ALR375LED20	4103224			
4160781	AL375K-M	AL375K-M KORISTEKEHYS MU	Exit 31.12.2016			AL375K-V	4160780	Valkoinen
4103221	AL375K-AL	AL375K-AL KORISTEKEHYS AL	Exit 31.12.2016			AL375K-V	4160780	Valkoinen
	1151-25	UPOTUSRAUTA ALUNO JOUSI	Exit 31.12.2016	Ei korvaavaa		Ei korvaavaa		
AVR400								
4117538	AVR400.2188E	AVR400 IP44 2xTC-L 18W E PCO	Exit 31.12.2016	Ei korvaavaa				
4117077	AVR400.128E	AVR400 IP44 TC-DD 28W E PC O	Exit 31.12.2016	AVR400.118L	4217356			
4117524	AVR400.138E	AVR400 IP44 TC-DD 38W E PC O	Exit 31.12.2016	AVR400.118L	4217356			
4117527	AVR400.055CE	AVR400 IP44 T5C 55W E PC O	Exit 31.12.2016	Ei korvaavaa				
4217932	AVR400218E3SM	AVR400/3SM IP44 2xTC-L18W E PC	Exit 31.12.2016			AVR400.118L/1M	4217379	1 tunnin akku
4117581	AVR400.218D	2x18W TC-L/2G11 230/240 V	Exit 31.12.2016	AVR400.118DL	4217380			
4217895	AVR400.226D	AVR400.226D IP44 2xTC-DE26W D	Exit 31.12.2016	AVR400.118DL	4217380			
4117497	AVR400.2264E	AVR400 IP44 2xTC-DE 26W E PIR	Exit 31.12.2016	AVR400.1184L	4217358			
4117483	AVR400.1184E	1x18W TC-L/2G11 230/240 V	Exit 31.12.2016			AVR400.1184L	4217358	
4117544	AVR400.0554CE	1x55W T5C/2GX13 230/240V	Exit 31.12.2016			AVR400.1184L	4217358	
4117484	AVR400.218/94E	9W TC-E/2G7+18W TC-L/2G11 230V	Exit 31.12.2016	Ei korvaavaa				
4217019	AVR400.2269E	AVR400 IP44 2xTC-DE26W E PC O	Exit 31.12.2016	AVR400.1189L	4217359			
4117487	AVR400.2184ER	2x18W TC-L/2G11 230V 50 Hz	Exit 31.12.2016	Ei korvaavaa				
4117168	AVR400.218/186D	18W+18W TC-L/2G11 230/240V	Exit 31.12.2016	Ei korvaavaa				
4217897	AVR400.2266D	AVR400.2266D IP44 2xTC-DE26W D	Exit 31.12.2016	AVR400.1186DL	4217385			
4217896	AVR400.2265D	AVR400.2265D IP44 2xTC-DE26W D	Exit 31.12.2016	AVR400.1185DL	4217382			
4217017	AVR400.2269D	AVR400 IP44 2xTC-DE26W D PC O	Exit 31.12.2016	AVR400.1189DL	4217383			
4117953	AVL52/AL	AVR400 valaisimille, alumiini	Exit 31.12.2016			AVL52	4117952	Valkoinen
4117956	AVL54	AVR400 valaisimille, teräs	Exit 31.12.2016			AVL52	4117952	Valkoinen
4117684	AVL59/AL	AVL59/AL koristerengas	Exit 31.12.2016			AVL59	4117683	Valkoinen
AVR1								
4117402	AVR1.111	AVR1.111 IP44 TC 11W PC O	Exit 31.12.2016	Ei korvaavaa				
4117408	AVR1.118	AVR1.118 IP44 TC-L 18W PC O	Exit 31.12.2016	AVR1.29E	4117407			
4117214	AVR1.29/9E	AVR1 IP44 9+9W TC-E E PC O	Exit 31.12.2016	Ei korvaavaa				
4117001	AVR1.111E	AVR1 IP44 1xTC-E 11W E PC O	Exit 31.12.2016	Ei korvaavaa				
4117409	AVR1.118E	AVR1.118E IP44 TC-L 18W E PC O	Exit 31.12.2016	AVR1.29E	4117407			
4117074	AVR1.128E	AVR1 IP44 TC-DD 28W E PC O	Exit 31.12.2016	Ei korvaavaa				
4217002	AVR1.299E	AVR1 IP44 2xTC-E 9W E PC O RAD	Exit 31.12.2016	Ei korvaavaa				

Snro FI	Tuote	Tekninen nimi	Lopetus pvm	100% korvaava tuote	SNRO	Osittain vastaava tuote	SNRO	Syy miksi ei 100% korvaava
AVR4								
4117296	AVR4MP	6xAVR4 IP44 A60 60W PC O	Exit 31.12.2016	Ei korvaavaa				
4117414	AVR4.111	AVR4 IP44 TC 11W PC O	Exit 31.8.2016	AVR4	4117000			
4117420	AVR4.118	AVR4 IP44 TC-L 18W PC O	Exit 31.8.2016	AVR4	4117000			
4117235	AVR4.29/9E	AVR4 IP44 9+9W TC-E E PC O	Exit 31.12.2016	Ei korvaavaa				
4117014	AVR4.111E	AVR4 IP44 1xTC-E 11W E PC O	Exit 31.12.2016	AVR4	4117000			
4117425	AVR4.118E	AVR4 IP44 TC-L 18W E PC O	Exit 31.12.2016	AVR4	4117000			
4217013	AVR4.299E	AVR4 IP44 2xTC-E 9W E PC O RAD	Exit 31.12.2016	Ei korvaavaa				
4217032	AVR4.29/99E	AVR4 IP44 TC-E 9W+9W E PC O RA	Exit 31.12.2016	Ei korvaavaa				
AVR70-72								
4117442	AVR72.118E	1x18W TC-L/2G11 230/240V 0-50/	Exit 31.12.2016	AVR72.19L	4117059			
4117114	AVL68.1	AVR71, musta	Exit 31.12.2016			AVL68	4117111	Valkoinen
AVR6								
4117040	AVR6MP	6kpl AVR6 1x60W A60/E27	Exit 31.12.2016	AVR6	4117039			
Velox alasvalot								
4103202	ALS3X1	ALS3X1 IP20 3X1W LED 4K 20° VA	Exit 21.9.2016			ALS90NR	4118002	
4103203	ALS3X3D	ALS3X3D IP54 3x3W LED 4K 60°VA	Exit 21.9.2016			ALS85WRD		
Velox-nauha								
4103196	ALS250FLEXD	ALS250FLEXD IP65 9,6W/m LED 4K	Exit 1.9.2016	ALS250FD				
Lampukas								
4160820	202.01V	202.01V R63/80 60W E27	Exit 31.12.2016			201.01V	4160800	Erlainen kuvun muoto
4160821	202.11V	202.11V R63/80 60W E27 1-VAIHE	Exit 31.12.2016			201.11V	4160804	Erlainen kuvun muoto
4160822	202.13V	202.13V R63/80 60W E27 3-VAIHE	Exit 31.12.2016			201.13V	4160808	Erlainen kuvun muoto
4160824	203.01V	203.01V 60W E27	Exit 31.12.2016			201.01V	4160800	Erlainen kuvun muoto
4160825	203.11V	203.11V 60W E27 1-VAIHE	Exit 31.12.2016			201.11V	4160804	Erlainen kuvun muoto
4160826	203.13V	203.13V 60W E27 3-VAIHE	Exit 31.12.2016			201.13V	4160808	Erlainen kuvun muoto
AVR66								
4217602	AVR66.111	AVR66 IP44 TC 11W PC O	Exit 31.8.2016	AVR66.111E	4217226			
4217063	AVR66.015	AVR66.015 IP44 T8 15W PC O	Exit 31.8.2016	AVR66.015E	4217810			
4217066	AVR66.018	AVR66.018 IP44 T8 18W PC O	Exit 31.8.2016	AVR66.110L	4217601	AVR66.110L/3K	4217617	
4217069	AVR66.030	AVR66.030 IP44 T8 30W PC O	Exit 31.8.2016	AVR66.115L	4217640	AVR66.115L/3K	4217657	
4217072	AVR66.036	AVR66.036 IP44 T8 36W PC O	Exit 31.8.2016	AVR66.120L	4217916	AVR66.120L/3K	4217945	
4217075	AVR66.058	AVR66.058 IP44 T8 58W PC O	Exit 31.8.2016	AVR66.058E	4217105			
4217064	AVR66.018D	AVR66.018D IP44 T8 18W D PC O	Exit 31.12.2016	Ei korvaavaa				
4217120	AVR66.036D	AVR66.036D IP44 T8 36W D PC O	Exit 31.12.2016	AVR66.120DL	4217927	AVR66.120DL/3K	4217971	
4217123	AVR66.058D	AVR66.058D IP44 T8 58W D PC O	Exit 31.12.2016	Ei korvaavaa				

Snro FI	Tuote	Tekninen nimi	Lopetus pvm	100% korvaava tuote	SNRO	Osittain vastaava tuote	SNRO	Syy miksi ei 100% korvaava
AVR66								
4217050	AVR66.024E	AVR66 IP44 T5 24W E PC O 600mm	Exit 31.12.2016	AVR66.110L	4217601	AVR66.110L/3K	4217617	
4217052	AVR66.039E	AVR66 IP44 T5 39W E PC O 900mm	Exit 31.12.2016	AVR66.115L	4217640	AVR66.115L/3K	4217657	
4217054	AVR66.054E	AVR66 IP44 T5 54W E PCO 1200mm	Exit 31.12.2016	AVR66.120L	4217916	AVR66.120L/3K	4217945	
4217203	AVR66.1114H	1x11W TC-E/2G7 230V 50Hz	Exit 31.8.2016	Ei korvaavaa				
4217288	AVR66.0154H	1x15W T8/G13 230V 50Hz	Exit 31.8.2016	Ei korvaavaa				
4217297	AVR66.0364H	1x36W T8/G13 230V 50Hz	Exit 31.8.2016	AVR66.1154L	4217646	AVR66.1154L/3K	4217665	
4217300	AVR66.0584H	1x58W T8/G13 230V 50Hz	Exit 31.8.2016	AVR66.1204L	4217918	AVR66.1204L/3K	4217947	
4117170	AVR66.0184E	1x18W T8/G13 230/240V 50/60Hz	Exit 31.12.2016	AVR66.1104L		AVR66.1104L/3K		
4117172	AVR66.0364E	1x36W T8/G13 230/240V 50/60Hz	Exit 31.12.2016	AVR66.1204L	4217918	AVR66.1204L/3K	4217947	
4117174	AVR66.0584E	1x58W T8/G13 230/240V 50/60Hz	Exit 31.12.2016	Ei korvaavaa				
4217614	AVR66.1114HP	1x11W TC-E/2G7 230V 50Hz	Exit 31.8.2016	Ei korvaavaa				
4217306	AVR66.0154HP	1x15W T8/G13 230V 50Hz	Exit 31.8.2016	Ei korvaavaa				
4217309	AVR66.0184HP	1x18W T8/G13 230V 50Hz	Exit 31.8.2016	AVR66.1104LP	4217613	AVR66.1104LP/3K	4217626	
4217088	AVR66.0186D	1x18W T8/G13 230/240V 50Hz	Exit 31.12.2016	Ei korvaavaa				
4217089	AVR66.0366D	1x36W T8/G13 230/240V 50Hz	Exit 31.12.2016	AVR66.1206DL	4217923	AVR66.1206DL/3K	4217958	
4217091	AVR66.0586D	1x58W T8/G13 230/240V 50Hz	Exit 31.12.2016	Ei korvaavaa				
4217044	AVR66.0216D	AVR66 IP44 T5 21W D PC O PIR	Exit 31.12.2016	Ei korvaavaa				
4217046	AVR66.0286D	AVR66 IP44 T5 28W D PC O PIR	Exit 31.12.2016	AVR66.1206DL	4217923	AVR66.1206DL/3K	4217958	
4217047	AVR66.0356D	AVR66 IP44 T5 35W D PC O PIR	Exit 31.12.2016	Ei korvaavaa				
4217604	AVR66.1111	AVR66.1111 IP44 TC 11W PC O 1	Exit 31.12.2016	AVR66.1111E				
4217129	AVR66.0151	AVR66.0151 IP44 T8 15W PC O 1	Exit 31.8.2016	Ei korvaavaa				
4217132	AVR66.0181	AVR66.0181 IP44 T8 18W PC O 1	Exit 31.8.2016	AVR66.1101L	4217605	AVR66.1101L/3K	4217620	
4217135	AVR66.0301	AVR66.0301 IP44 T8 30W PC O 1	Exit 31.8.2016	AVR66.1151L	4217641	AVR66.1151L/3K	4217659	
4217138	AVR66.0361	AVR66.0361 IP44 T8 36W PC O 1	Exit 31.8.2016	AVR66.0361E	4217818			
4217141	AVR66.0581	AVR66.0581 IP44 T8 58W PC O 1	Exit 31.8.2016	AVR66.0581E	4217821			
4217811	AVR66.0181E	AVR66 IP44 T8 18W E PC O 1	Exit 31.12.2016	AVR66.1101L	4217605	AVR66.1101L/3K	4217620	
4217818	AVR66.0361E	AVR66 IP44 T8 36W E PC O 1	Exit 31.12.2016	Ei korvaavaa				
4217821	AVR66.0581E	AVR66 IP44 T8 58W E PC O 1	Exit 31.12.2016	Ei korvaavaa				
4217202	AVR66.111P	AVR66.111P IP44 TC 11W PC O P	Exit 31.8.2016	AVR66.111EP	4217227			
4217165	AVR66.015P	AVR66.015P IP44 T8 15W PC O P	Exit 31.8.2016			AVR66.110LP/3K	4217622	Pituus !!
4217168	AVR66.018P	AVR66.018P IP44 T8 18W PC O P	Exit 31.8.2016	AVR66.110LP	4217607	AVR66.110LP/3K	4217622	
4217171	AVR66.030P	AVR66.030P IP44 T8 30W PC O P	Exit 31.8.2016	AVR66.115LP	4217643	AVR66.115LP/3K	4217661	
4217174	AVR66.036P	AVR66.036P IP44 T8 36W PC O P	Exit 31.8.2016	AVR66.115LP	4217643	AVR66.115LP/3K	4217661	
4217177	AVR66.058P	AVR66.058P IP44 T8 58W PC O P	Exit 31.8.2016	Ei korvaavaa				
4217080	AVR66.018EP	AVR66 IP44 T8 18W E PC O P	Exit 31.12.2016	AVR66.110LP	4217607	AVR66.110LP/3K	4217622	
4217730	AVR66.028EP	AVR66 IP44 T5 28W E PC O P	Exit 31.12.2016	Ei korvaavaa				
4217608	AVR66.111WP	1x11W TC/G23 230 V 50Hz	Exit 31.8.2016	Ei korvaavaa				
4217201	AVR66.015WP	AVR66 IP44 T8 15W PC O W P	Exit 31.8.2016	Ei korvaavaa				
4217204	AVR66.018WP	AVR66 IP44 T8 18W PC O W P	Exit 31.8.2016	Ei korvaavaa				

Snro FI	Tuote	Tekninen nimi	Lopetus pvm	100% korvaava tuote	SNRO	Osittain vastaava tuote	SNRO	Syy miksi ei 100% korvaava
AVR66								
4217222	AVR66.1111P	AVR66 IP44 TC 11W PC O 1 P	Exit 31.8.2016	AVR66.1111EP	4217224			
4217225	AVR66.0151P	AVR66 IP44 T8 15W PC O 1 P	Exit 31.8.2016	Ei korvaavaa				
4217228	AVR66.0181P	AVR66 IP44 T8 18W PC O 1 P	Exit 31.8.2016	AVR66.1101LP	4217610			
4217231	AVR66.0301P	AVR66 IP44 T8 30W PC O 1 P	Exit 31.8.2016	AVR66.1151LP	4217644			
4217732	AVR66.0281EP	AVR66 IP44 T5 28W E PC O 1 P	Exit 31.12.2016	AVR66.1201LP	4217917			
4217812	AVR66.0181EP	1x18W T8/G13 230/240V 0-50/60H	Exit 31.12.2016	AVR66.1101LP	4217610			
4117192	AVR66.0600P	AVR66 IP44 T8 15W PC O P 600mm	Exit 31.8.2016	AVR66.1600LP	42			
4117195	AVR66.0800P	AVR66 IP44 T8 18W PC O P 800mm	Exit 31.8.2016	Ei korvaavaa				
4117198	AVR66.0900P	AVR66 IP44 T8 18W PC O P 900mm	Exit 31.8.2016	AVR66.1900LP	42			
4117201	AVR66.01200P	AVR66 IP44 T8 30W PC O P 1200mm	Exit 31.8.2016	Ei korvaavaa				
4217827	AVR66.1600HP	AVR66 IP44 T8 15W PC O H P	Exit 31.8.2016	AVR66.1600LP	42			
4217829	AVR66.1800HP	AVR66 IP44 T8 18W PC O H P	Exit 31.8.2016	Ei korvaavaa				
4217831	AVR66.1900HP	AVR66 IP44 T8 18W PC O H P	Exit 31.8.2016	AVR66.1900LP	42			
4217825	AVR66.11200HP	AVR66 IP44 T8 30W PC O H P	Exit 31.8.2016	Ei korvaavaa				
4117207	AVR66.0800WP	AVR66 IP44 T8 18W PC O W P	Exit 31.8.2016	Ei korvaavaa				
4117210	AVR66.0900WP	AVR66 IP44 T8 18W PC O W P	Exit 31.8.2016	Ei korvaavaa				
4117213	AVR66.01200WP	AVR66 IP44 T8 30W PC O W P	Exit 31.8.2016	Ei korvaavaa				
4117204	AVR66.2600WP	AVR66 IP44 2xTC 9W PC O W P	Exit 31.8.2016	Ei korvaavaa				
4217832	AVR66.1900WP	AVR66 IP44 T8 18W PC O WP 900mm	Exit 31.8.2016	Ei korvaavaa				
4217658	AVR66.1600HPZ	AVR66 IP44 T8 15W PC O H P Z	Exit 31.8.2016	AVR66.1600LPZ	4290355			
4217660	AVR66.1800HPZ	AVR66 IP44 T8 18W PC O H P Z	Exit 31.8.2016	Ei korvaavaa				
4217662	AVR66.1900HPZ	AVR66 IP44 T8 18W PC O H P Z	Exit 31.8.2016	AVR66.1900LPZ	4290356			
4217664	AVR66.11200HPZ	AVR66 IP44 T8 30W PC O H P Z	Exit 31.8.2016	Ei korvaavaa				
4117943	AVR66.11200EPZ	AVR66 IP44 T5 21W E PC O P Z	Exit 31.8.2016	Ei korvaavaa				
4217828	AVR66.1600P	1x15W T8/G13 230 V 50Hz	Exit 31.8.2016	AVR66.1600LP	42			
4217841	AVL619.800	AVL619.800 Pölysuojalevy JONO	Exit 31.12.2016	Ei korvaavaa				
Aino								
4207669	AI281033ELD	AI281033ELD T5 28W 1-10V	Exit 31.12.2016			Erikoismalli, 1-10V		
4207679	AI351033ELD	AI351033ELD T5 35W 1-10V	Exit 31.12.2016			Erikoismalli, 1-10V		
4207689	AI491033ELD	AI491033ELD T5 49W 1-10V	Exit 31.12.2016			Erikoismalli, 1-10V		
4207697	AI541033ELD	AI541033ELD T5 54W 1-10V	Exit 31.12.2016			Erikoismalli, 1-10V		
4207664	AI281033YELD	AI281033YELD T5 28W 1-10V	Exit 31.12.2016			Erikoismalli, 1-10V		
4207675	AI351033YELD	AI351033YELD T5 35W 1-10V	Exit 31.12.2016			Erikoismalli, 1-10V		
4207685	AI491033YELD	AI491033YELD T5 49W 1-10V	Exit 31.12.2016			Erikoismalli, 1-10V		
4207693	AI541033YELD	AI541033YELD T5 54W 1-10V	Exit 31.12.2016			Erikoismalli, 1-10V		
4260420	AI281093ELD	AI281093ELD T5 28W AC C 1-10V	Exit 31.12.2016			Erikoismalli, 1-10V		
4260432	AI351093ELD	AI351093ELD T5 35W AC C 1-10V	Exit 31.12.2016			Erikoismalli, 1-10V		
4260444	AI491093ELD	AI491093ELD T5 49W AC C 1-10V	Exit 31.12.2016			Erikoismalli, 1-10V		

Snro FI	Tuote	Tekninen nimi	Lopetus pvm	100% korvaava tuote	SNRO	Osittain vastaava tuote	SNRO	Syy miksi ei 100% korvaava
Aino								
4260456	AI541093ELD	AI541093ELD T5 54W AC C 1-10V	Exit 31.12.2016			Erikoismalli, 1-10V		
4260426	AI281093YELD	AI281093YELD T5 28W AC C 1-10V	Exit 31.12.2016			Erikoismalli, 1-10V		
4260438	AI351093YELD	AI351093YELD T5 35W AC C 1-10V	Exit 31.12.2016			Erikoismalli, 1-10V		
4260450	AI491093YELD	AI491093YELD T5 49W AC C 1-10V	Exit 31.12.2016			Erikoismalli, 1-10V		
4260462	AI541093YELD	AI541093YELD T5 54W AC C 1-10V	Exit 31.12.2016			Erikoismalli, 1-10V		
AVD370								
4117176	AVD370.226EG	AVD370 IP21 2xTC-DE 26W E G FR	Exit 31.12.2016	AVD370.118LG	4159509			
4117103	AVD370.226D	AVD370 IP21 2xTC-DE 26W D PC O	Exit 31.12.2016	AVD370.118DL	4159513			
4117173	AVD370.226DG	AVD370 IP21 2xTC-DE 26W D G FR	Exit 31.12.2016	AVD370.118DLG	4159514			
4117104	AVD370.226DB	IP21 2xTC-DE 26W DB PC O	Exit 31.12.2016	AVD370.118DDL	4159518			
4117175	AVD370.226DBG	IP21 2xTC-DE 26W DB G FR	Exit 31.12.2016	AVD370.118DDLG	4159519			
4117101	AVD370.2265D	IP21 2xTC-DE 26W D PC O PIR	Exit 31.12.2016	AVD370.1185DL	4159515			
4117169	AVD370.2269DG	IP21 2xTC-DE 26W D G FR RADA	Exit 31.12.2016	AVD370.1189DLG	4159516			
4217238	AVD370.218E/3SM	IP21 2xTC-DE 18W E PC O 3h SM	Exit 31.12.2016			AVD370.114L/1M	4117247	1 tunnin akku
4010222	AVL371	Diffuser gasket IP44 AVD370	Exit 31.12.2016	Ei korvaavaa				
AVD550								
4217208	AVD550.236EG	AVD550 IP21 2xTC-L 36W E G FR	Exit 31.12.2016	AVD550.236E	4217122			PC kupu opaali
4217119	AVD550.236D	AVD550 IP21 2xTC-L 36W D PC O	Exit 31.12.2016			AVD550.139DDL	4290314	DALI
4217206	AVD550.236DG	AVD550 IP21 2xTC-L 36W D G FR	Exit 31.12.2016			AVD550.139DDL	4290314	DALI, PC kupu opaali
4217205	AVD550.236DBG	AVD550 IP21 2xTC-L 36W DB G FR	Exit 31.12.2016			AVD550.139DDL	4290314	DALI, PC kupu opaali
4217110	AVD550.2364E	AVD550 IP21 2xTC-L 36W E PC O	Exit 31.12.2016	Ei korvaavaa				
4217113	AVD550.2365D	AVD550 IP21 2xTC-L 36W D PC O	Exit 31.12.2016	Ei korvaavaa				
4217118	AVD550.2369E	AVD550 IP21 2xTC-L 36W E PC O	Exit 31.12.2016	Ei korvaavaa				
4217200	AVD550.2369EG	IP21 2xTC-L 36W E G FR RADAR	Exit 31.12.2016	Ei korvaavaa				
4217116	AVD550.2369D	AVD550 IP21 2xTC-L 36W D PC O	Exit 31.12.2016	Ei korvaavaa				
4217199	AVD550.2369DG	IP21 2xTC-L 36W D G FR RADAR	Exit 31.12.2016	Ei korvaavaa				
4217124	AVD550.236E/3SM	AVD550 IP21 2xTC-L 36W E PC O	Exit 31.12.2016	Ei korvaavaa				
AVR67								
4217334	AVR67.039E	AVR67.039E IP44 T5 39W E PC C	Exit 31.12.2016	AVR67.115L	4290325	AVR67.115L/3K	4290326	
4217337	AVR67.054E	AVR67.054E IP44 T5 54W E PC C	Exit 31.12.2016	AVR67.120L	4290329	AVR67.120L/3K	4290335	
4217301	AVR67.014D	AVR67.014D IP44 T5 14W D PC C	Exit 31.12.2016	Ei korvaavaa				
4217310	AVR67.021D	AVR67.021D IP44 T5 21W D PC C	Exit 31.12.2016			AVR67.115DDL	4290323	DALI
4217317	AVR67.028D	AVR67.028D IP44 T5 28W D PC C	Exit 31.12.2016			AVR67.120DDL	4290343	DALI
4217323	AVR67.035D	AVR67.035D IP44 T5 35W D PC C	Exit 31.12.2016	Ei korvaavaa				
4217302	AVR67.014DB	AVR67.014DB IP44 T5 14W DB PC	Exit 31.12.2016	Ei korvaavaa				
4217311	AVR67.021DB	AVR67.021DB IP44 T5 21W DB PC	Exit 31.12.2016	AVR67.115DDL	4290323	AVR67.115DDL/3K	4290328	
4217319	AVR67.028DB	AVR67.028DB IP44 T5 28W DB PC	Exit 31.12.2016	AVR67.120DDL	4290343	AVR67.120DDL/3K	4290349	
4217325	AVR67.035DB	AVR67.035DB IP44 T5 35W DB PC	Exit 31.12.2016	Ei korvaavaa				

Snro FI	Tuote	Tekninen nimi	Lopetus pvm	100% korvaava tuote	SNRO	Osittain vastaava tuote	SNRO	Syy miksi ei 100% korvaava
AVR67								
4217020	AVR67.0149E	AVR67 IP44 T5 14W E PC C RADAR	Exit 31.12.2016	Ei korvaavaa				
4217023	AVR67.0219E	AVR67 IP44 T5 21W E PC C RADAR	Exit 31.12.2016	Ei korvaavaa				
4217026	AVR67.0289E	AVR67 IP44 T5 28W E PC C RADAR	Exit 31.12.2016	Ei korvaavaa				
4217029	AVR67.0359E	AVR67 IP44 T5 35W E PC C RADAR	Exit 31.12.2016	Ei korvaavaa				
4217038	AVR67.0219D	AVR67 IP44 T5 21W D PC C RADAR	Exit 31.12.2016	Ei korvaavaa				
4217040	AVR67.0289D	AVR67 IP44 T5 28W D PC C RADAR	Exit 31.12.2016	Ei korvaavaa				
4217041	AVR67.0359D	AVR67 IP44 T5 35W D PC C RADAR	Exit 31.12.2016	Ei korvaavaa				
4217022	AVR67.0149EAL	AVR67 IP44 T5 14W E PC C AL RA	Exit 31.12.2016	Ei korvaavaa				
4217025	AVR67.0219EAL	AVR67 IP44 T5 21W E PC C AL RA	Exit 31.12.2016	Ei korvaavaa				
4217028	AVR67.0289EAL	AVR67 IP44 T5 28W E PC C AL RA	Exit 31.12.2016	Ei korvaavaa				
4217031	AVR67.0359EAL	AVR67 IP44 T5 35W E PC C AL RA	Exit 31.12.2016	Ei korvaavaa				
4217049	AVR67.014DAL	AVR67 IP44 T5 14W D PC C AL	Exit 31.12.2016	Ei korvaavaa				
4217053	AVR67.021DAL	AVR67 IP44 T5 21W D PC C AL	Exit 31.12.2016	Ei korvaavaa				
4217055	AVR67.028DAL	AVR67 IP44 T5 28W D PC C AL	Exit 31.12.2016	Ei korvaavaa				
4217056	AVR67.035DAL	AVR67 IP44 T5 35W D PC C AL	Exit 31.12.2016	Ei korvaavaa				
IG20								
4360474	IG20236A-N	IG20236A-N T8 2X36W	Exit 31.12.2016					
4360477	IG20258A-N	IG20258A-N T8 2X58W	Exit 31.12.2016					
4361302	IG20128K	IG20128K T5 1X28W	Exit 31.12.2016			IG20128A	4361310	Heijastimella
4361304	IG20135K	IG20135K T5 1X35W	Exit 31.12.2016			IG20135A	4361312	Heijastimella
4361306	IG20149K	IG20149K T5 1X49W	Exit 31.12.2016			IG20149A	4360482	Heijastimella
4361303	IG20228K	IG20228K T5 2X28W	Exit 31.12.2016			IG20228A	4361311	Heijastimella
4361305	IG20235K	IG20235K T5 2X35W	Exit 31.12.2016			IG20235A	4361313	Heijastimella
4361307	IG20249K	IG20249K T5 2X49W	Exit 31.12.2016			IG20249A	4360483	Heijastimella
4361527	IG20180A	IG20180A T5 1X80W	Exit 31.12.2016			IG20249A	4360483	2-putkinen
Monix slim								
4290244	AMSRD228K-N	AMSRD228K-N T5 2X28W C D15%	Exit 31.12.2016			Erikoismalli, corridor function		
4290247	AMSRD235K-N	AMSRD235K-N T5 2X35W C D15%	Exit 31.12.2016			Erikoismalli, corridor function		
4290268	AMSRD249K-N	AMSRD249K-N T5 2X49W C D15%	Exit 31.12.2016			Erikoismalli, corridor function		
4290271	AMSRD228O-N	AMSRD228O-N T5 2X28W O D15%	Exit 31.12.2016			Erikoismalli, corridor function		
4290274	AMSRD235O-N	AMSRD235O-N T5 2X35W O D15%	Exit 31.12.2016			Erikoismalli, corridor function		
4290277	AMSRD249O-N	AMSRD249O-N T5 2X49W O D15%	Exit 31.12.2016			Erikoismalli, corridor function		

Snro FI	Tuote	Tekninen nimi	Lopetus pvm	100% korvaava tuote	SNRO	Osittain vastaava tuote	SNRO	Syy miksi ei 100% korvaava
IG44								
4360315	IG44128O	IG44128O IP44 T5 1X28W O	Exit 31.12.2016			IG44128K	4360311	Kirkas kupu
4360323	IG44135O	IG44135O IP44 T5 1X35W O	Exit 31.12.2016			IG44135K	4360319	Kirkas kupu
4360331	IG44149O	IG44149O IP44 T5 1X49W O	Exit 31.12.2016			IG44149K	4360327	Kirkas kupu
4360339	IG44228O	IG44228O IP44 T5 2X28W O	Exit 31.12.2016			IG44228K	4360335	Kirkas kupu
4360347	IG44235O	IG44235O IP44 T5 2X35W O	Exit 31.12.2016			IG44235K	4360343	Kirkas kupu
4360355	IG44249O	IG44249O IP44 T5 2X49W O	Exit 31.12.2016			IG44249K	4360351	Kirkas kupu
4360649	IG44118K	IG44118K IP44 T8 1X18W C	Exit 31.12.2016			IG44128K	4360311	Eri pituus, T5
4360654	IG44218K	IG44218K IP44 T8 2X18W C	Exit 31.12.2016			IG44228K	4360335	Eri pituus, T5
	IG44236K	IG44236K IP44 T8 2X36W C	Exit 31.12.2016	IG44228K	4360335			T5
	IG44258K	IG44258K IP44 T8 2X58W C	Exit 31.12.2016	IG44249K	4360351			T5
4360660	IG44258K-N	IG44258K-N IP44 T8 2X58W C	Exit 31.12.2016	IG44249K	4360351			T5
4360662	IG44118KH2	IG44118KH2 IP44 T8 1X18W C	Exit 31.12.2016			IG44128KH2	4360313	Eri pituus, T5
4360663	IG44136KH2	IG44136KH2 IP44 T8 1X36W C	Exit 31.12.2016	IG44128KH2	4360313			T5
4360666	IG44158KH2	IG44158KH2 IP44 T8 1X58W C	Exit 31.12.2016	IG44149KH2	4360329			T5
4360669	IG44218KH2	IG44218KH2 IP44 T8 2X18W C	Exit 31.12.2016			IG44128KH2	4360313	Eri pituus, T5
	IG44236KH2	IG44236KH2 IP44 T8 2X36W C	Exit 31.12.2016	IG44228KH2	4360337			T5
4360672	IG44236KH2-N	IG44236KH2-N IP44 T8 2X36W C	Exit 31.12.2016	IG44228KH2	4360337			T5
	IG44258KH2	IG44258KH2 IP44 T8 2X58W C	Exit 31.12.2016	IG44249KH2	4360353			T5
4360675	IG44258KH2-N	IG44258KH2-N IP44 T8 2X58W C	Exit 31.12.2016	IG44249KH2	4360353			T5
4360677	IG44118O	IG44118O IP44 T8 1X18W O	Exit 31.12.2016			IG44128K	4360311	Kirkas kupu,T5, eri pituus
4360678	IG44136O	IG44136O IP44 T8 1X36W O	Exit 31.12.2016			IG44128K	4360311	Kirkas kupu,T5
4360681	IG44158O	IG44158O IP44 T8 1X58W O	Exit 31.12.2016			IG44149K	4360327	Kirkas kupu,T5
4360684	IG44218O	IG44218O IP44 T8 2X18W O	Exit 31.12.2016			IG44128K	4360311	Kirkas kupu,T5, eri pituus
4361523	IG44236O	IG44236O IP44 T8 2X36W O	Exit 31.12.2016			IG44228K	4360335	Kirkas kupu,T5
4360687	IG44236O-N	IG44236O-N IP44 T8 2X36W O	Exit 31.12.2016			IG44228K	4360335	Kirkas kupu,T5
4361524	IG44258O	IG44258O IP44 T8 2X58W O	Exit 31.12.2016			IG44249K	4360351	Kirkas kupu,T5
4360690	IG44258O-N	IG44258O-N IP44 T8 2X58W O	Exit 31.12.2016			IG44249K	4360351	Kirkas kupu,T5
Europroof								
4354410	ERP2R228ACLJ	EUROPROOF IP65 T5 2X28W AC RAD	Exit 31.12.2016			Erikoismalli		
4360079	ERP2R235ACLJ	EUROPROOF IP65 T5 2X35W AC RAD	Exit 31.12.2016			Erikoismalli		
4360080	ERP2R249ACLJ	EUROPROOF IP65 T5 2X49W AC RAD	Exit 31.12.2016			Erikoismalli		
4360082	ERP2R254ACLJ	EUROPROOF IP65 T5 2X54W AC RAD	Exit 31.12.2016			Erikoismalli		